Research Tools for Metabolic Disorders



Metabolic diseases arise from disruptions in the balance between energy intake, utilization, and storage. Disruptions in glucose and/or lipid metabolism is implicated in the pathogenesis of many metabolic conditions, including diabetes, obesity, metabolic dysfunction-associated steatotic liver disease (MASLD), metabolic dysfunction-associated steatohepatitis (MASH), and metabolic syndrome.

Discover Tools to Target Biological Mechanisms Underlying Metabolic Disorders

· Insulin Resistance · Dyslipidemia

· Abdominal Obesity · Hypertension

Hallmark Assays

Insulin Resistance

| Item No. | Product Name | Summary |
|----------|-------------------------------------|---|
| 10009582 | Glucose Colorimetric Assay Kit | For analysis of glucose in plasma, serum, and urine |
| 600470 | Glucose Uptake Cell-Based Assay Kit | A cell-based assay for studying modulators of cellular glucose uptake |
| 700480 | Glycogen Assay Kit | A simple and sensitive tool for assaying glycogen from tissue |
| 26619 | Insulin (human) ELISA Kit | For the measurement of insulin in cell culture supernatant, serum, and plasma |
| 589501 | Insulin (mouse, rat) EIA Kit | For the measurement of insulin in rat, human, mouse, and other samples |

Dyslipidemia

| 5 y 5 n pride i mid | | |
|---------------------|---|---|
| Item No. | Product Name | Summary |
| 10009381 | Adipolysis Assay Kit | Screen compounds involved in lipid storage and metabolism |
| 10007640 | Cholesterol Fluorometric/Colorimetric Assay Kit | Quantitation of total cholesterol in plasma or serum |
| 700310 | Free Fatty Acid Fluorometric Assay Kit | Measure FFAs in plasma, serum, and urine |
| 10010755 | Glycerol Colorimetric Assay Kit | Measure glycerol in plasma and serum |
| 700640 | Lipase Activity Assay Kit | Detect lipase activity in plasma, serum, tissue homogenates, and cell culture samples |
| 500001 | Lipid Droplets Fluorescence Assay Kit | Detect lipid droplets, cellular organelles that are also referred to as lipid bodies, oil bodies, or adiposomes |
| 10012643 | Steatosis Colorimetric Assay Kit | Detect excessive lipid accumulation in cells |
| 10010303 | Triglyceride Colorimetric Assay Kit | Measure TG levels in plasma, serum, cell lysates, and tissue homogenates |

Target Multiple Endpoints with One Mechanism

Explore the Science Behind GLP-1, GIP, and Glucagon Receptor Agonists

www.caymanchem.com/GLP-1R-agonists

Insulin Resistance

GLP-1R Agonists

Signaling through the glucagon-like peptide 1 receptor (GLP-1R) can increase glucose-dependent insulin secretion, stimulate β -cell proliferation, inhibit glucagon secretion, and increase satiety.

| Item No. | Product Name |
|----------|-----------------------------------|
| 41269 | Bamadutide ^t |
| 11096 | Exendin-4 (48-86) amide (acetate) |
| 24727 | Liraglutide (acetate) |
| 39739 | Lixisenatide (acetate) |
| 39741 | Orforglipron |

SGLT2 Inhibitors

Sodium-glucose cotransporter 2 (SGLT2) inhibitors decrease glucose reabsorption in renal proximal tubules, which has dual effects of insulin-independent glycemic control and caloric loss.

| Item No. | Product Name |
|-------------|-------------------------|
| recini rvo. | 1 rodact raine |
| 11575 | Canagliflozin |
| 11574 | Dapagliflozin |
| 17375 | Empagliflozin |
| 21507 | Ertugliflozin |
| 22287 | Ipragliflozin |
| 14340 | Remogliflozin A |
| 23509 | Tofogliflozin (hydrate) |

View all SGLT2 inhibitors at www.caymanchem.com

Biguanides

Biguanides are used for type 2 diabetes to improve insulin sensitivity and decrease glucose production.

| Item No. | Product Name |
|----------|---------------------------|
| 18507 | Buformin (hydrochloride) |
| 13118 | Metformin (hydrochloride) |

View all biguanides for metabolic diseases at www.caymanchem.com

FAHFAs with Antidiabetic Potential

Branched fatty acid esters of hydroxy fatty acids (FAHFAs) are regulated by fasting and high-fat feeding and associated with insulin sensitivity.

| Item No. | Product Name |
|----------|--------------|
| 17039 | 9-OAHSA |
| 17038 | 9-PAHPA |
| 17037 | 9-PAHSA |
| 19974 | 10-POHSA |
| 17108 | 12-OAHSA |

View all FAHFAs at www.caymanchem.com

| Item No. | Product Name |
|----------|------------------------------|
| 39747 | Retatrutide (sodium salt)*.t |
| 29969 | Semaglutide (acetate) |
| 40972 | Survodutide ^t |
| 39748 | Tirzepatide (sodium salt)* |

^{*} also has GIPR agonist activity, ^t also has GCGR agonist activity View all GLP-1R agonists at www.caymanchem.com

Peptide Hormones in Metabolism

Peptide hormones regulate energy metabolism, growth and development, and food intake and satiety.

| Item No. | Product Name |
|----------|--|
| 24275 | Amylin (rat, mouse) (trifluoroacetate salt) |
| 23371 | CCK Octapeptide (sulfated) |
| 24458 | Ghrelin (rat) (trifluoroacetate salt) |
| 15069 | GLP-1 (7-36) amide (trifluoroacetate salt) |
| 24204 | Glucagon (hydrochloride) |
| 15071 | Neuropeptide Y (human, rat) |
| 15073 | Orexin A amide (bovine, human, mouse, rat) (trifluoroacetate salt) |
| 24765 | Orexin B amide (human) (trifluoroacetate salt) |

View all peptide hormones at www.caymanchem.com

DPP (IV) Inhibitors

Dipeptidyl peptidase (DPP) IV degrades incretins such as GLP-1. DPP (IV) inhibitors can reduce glucagon and glucose levels and increase insulin secretion.

| Item No. | Product Name |
|----------|-----------------------------|
| 28014 | Diprotin A |
| 23306 | Linagliptin |
| 23697 | Saxagliptin (hydrochloride) |
| 13252 | (-)-Sitagliptin (phosphate) |
| 14705 | Vildagliptin |

View all DPP (IV) inhibitors at www.caymanchem.com

Featured Assay

DPP (IV) Inhibitor Screening Assay Kit

Item No. 700210

A plate-based fluorometric assay to screen for DPP (IV) inhibitors.

Lipid Homeostasis Research Tools

De Novo Lipogenesis

De novo lipogenesis contributes to dyslipidemia through the formation of new fatty acids. New fatty acids are formed from non-lipid energy sources such as glucose, which is elevated by insulin resistance. Glucose is converted to acetyl-CoA, which is elongated into fatty acids via the fatty acid synthase (FASN) pathway, ultimately producing triglycerides (TGs), which are stored in lipid droplets.

De Novo Lipogenesis Inhibitors

DGAT-1 inhibitors

| Item No. | Product Name |
|----------|--------------|
| 42025 | LCQ-908 |
| 16425 | PF-04620110 |
| 25807 | T-863 |

ACC inhibitors

| Item No. | Product Name |
|----------|--------------|
| 34764 | ND-646 |
| 36856 | PF-05221304 |

FASN inhibitors

| Item No. | Product Name |
|----------|--------------|
| 10005270 | (±)-C75 |
| 35703 | TVB-2640 |

SCD-1 inhibitors

| Item No. | Product Name |
|----------|----------------------------------|
| 19123 | A-939572 |
| 33349 | MF438 |
| 19379 | SW203668 (trifluoroacetate salt) |

View all small molecule inhibitors of fatty acid metabolism at www.caymanchem.com

Lipid Droplet Fluorescent Probes

| Item No. | Product Name |
|----------|----------------|
| 25892 | BODIPY 493/503 |
| 25893 | BODIPY 505/515 |
| 30787 | Nile Red |

View all lipid droplet fluorescent probes at www.caymanchem.com

AMPK Activators

AMP-activated protein kinase (AMPK) pathway activators inhibit *de novo* lipogenesis, increase fatty acid oxidation, and promote mitochondrial function in adipose tissue.

| Item No. | Product Name |
|----------|--------------|
| 11900 | A-769662 |
| 10010241 | AICAR |
| 10006726 | PD 98059 |

View all AMPK activators at www.caymanchem.com

Targeting Metabolic Factors in MASLD & MASH

A guide to the strategies and research tools used to study metabolic dysfunction in steatotic liver disease.

Learn more at www.caymanchem.com/MASLD-guide

Hormones & Receptors

Peroxisome proliferator-activated receptors (PPARs) and free fatty acid receptors (FFARs) have critical roles as master regulators of carbohydrate and lipid metabolism.

PPAR Agonists

| 1 17 tit 7 tg o til st | |
|------------------------|---|
| Item No. | Product Name (Target) |
| 10004272 | GW 501516 ^t |
| 10008613 | GW 7647* |
| 25572 | Lanifibranor*.tz |
| 22263 | Pioglitazone (hydrochloride) ^z |
| 71740 | Rosiglitazone ^z |
| 16791 | Tesaglitazar*.t |
| 71750 | Troglitazone ^z |
| 70730 | Wy 14643* |

^{*} PPARα agonist, ^t PPARδ agonist, ^z PPARγ agonist View all PPAR agonists at www.caymanchem.com

FFAR Agonists

| Item No. | Product Name (Target) |
|----------|--------------------------------|
| 17531 | AR-420626 ^t |
| 19388 | DC260126* |
| 16624 | GPR120 Compound A ^z |
| 10008907 | GW 9508* |
| 17335 | TAK-875* |
| 17035 | TUG-891 ^z |

^{*} GPR40/FFAR1 agonist, † GPR41/FFAR3 agonist, † GPR120/FFAR4 agonist View all FFAR agonists at www.caymanchem.com

Bile Acid Signaling

G protein-coupled bile acid activated receptor (TGR5 or GP-BAR1) and farnesoid X receptor (FXR) have roles as regulators of carbohydrate and lipid metabolism as well as glucose homeostasis. Bile acids are major endogenous agonists of TGR5 and FXR.

TGR5 Agonists

| Item No. | Product Name |
|----------|-----------------------|
| 17678 | INT-777 |
| 27998 | SB-756050 |
| 16291 | TGR5 Receptor Agonist |

FXR Agonists

| Item No. | Product Name |
|----------|--------------|
| 11031 | 6-ECDCA |
| 17369 | Fexaramine |
| 25748 | Tropifexor |

Explore over 150 bile acids, metabolites, and conjugates at www.caymanchem.com

Cholesterol Synthesis & Signaling

Cholesterol can be targeted by modulating its synthesis through HMG-CoA reductase inhibitors or targeting downstream signaling receptors like liver X receptors (LXRs).

HMG-CoA Reductase Inhibitors

| Item No. | Product Name |
|----------|-------------------------------------|
| 10493 | Atorvastatin (calcium salt hydrate) |
| 10010338 | Lovastatin |
| 15414 | Pitavastatin (calcium salt) |
| 12029 | Rosuvastatin |
| 10010344 | Simvastatin |

View all HMG-CoA reductase inhibitors at www.caymanchem.com

LXR Modulators

| Item No. | Product Name |
|----------|-------------------------|
| 27339 | BMS 779788 |
| 10054 | GW 3965 (hydrochloride) |
| 18771 | SR9238 |
| 18420 | SR9243 |
| 71810 | T0901317 |

View all LXR modulators at www.caymanchem.com

Lipid Resource Center

Discover Products & Resources for Lipid Research in Metabolic Disorders

www.caymanchem.com/metabolic-disorders

Hypertension

Angiotensin-converting enzyme (ACE) inhibitors reduce the production of angiotensin II, lowering blood pressure.

ACE Inhibitors

| Item No. | Product Name |
|----------|-------------------------------|
| 15313 | Captopril |
| 22186 | DX600 (trifluoroacetate salt) |
| 16041 | Enalapril (maleate) |
| 16833 | Lisinopril |
| 31327 | MLN4760 |
| 15557 | Ramiprilat |

ACE2 Inhibitor Screening Assay Kit

Item No. 502100

Featured Assay

- · Screen potential inhibitors for human ACE2
- · Run 43 samples in duplicate
- · Rapid assay; get results in 30 minutes
- Plate-based fluorescent readout

View all ACE inhibitors at www.caymanchem.com